AUTHOR INDEX

Baumann, R. A. 573
Blades, M. W. 57
Burton, L. L. 57
Butcher, D. J. 359

Caughlin, B. L. 57
Chakrabarti, C. L. 111

Deninger, R. 335
Dougherty, J. P. 359

Ganz, S. 335
Gooijer, C. 573
Grimm, W. 335
Gross, M. 335

Hermann, G. 335

Korzeniewski, C. 1

Lubman, D. M. 529

Mamantov, G. 507
McCaffrey, J. T. 359
Michel, R. G. 359

Nelson, G. 561

Patonay, G. 561
Pons, S. 1
Preli, Jr. F. R. 359
Purdie, N. 345

Rogers, J. T. 111

Scharmann, A. 335

Velthorst, N. H. 573

Walker, Z. H. 57
Walton, A. P. 359
Warner, I. M. 561
Wehry, E. L. 507
Wu, S. 111

SUBJECT INDEX

Abel inversion 68–9
Acrylonitrile adsorption 28–9
Activation energy 239–42, 312
Airborne particulates, direct determination of metal content associated with 288–90
Anthracene adsorption 30
Argon 543, 544
Atomic absorption spectrometers 266
Auger electron spectrometry, molybdenum reaction products 302–8
Auger electron spectroscopy 1

Benzonitrile adsorption 27–8
Benzophenone ketyl radical 21–2
Benzo[a]pyrene 517
Boltzmann distribution 63

Capture radiative cascade balance 67
Carbazole 552
Carbon monoxide
  adsorption 24–5, 37–9
  vibrational frequency calculated as function of binding energy 50
  vibrational frequency calculated as function of electric field strength 51
Catechol 543
Catecholamines 548
Charge transfer 61–2
Chiroptical methods 345–9
Chloride matrix interferences 250–7
Chromatographic detectors 349
Circular dichroism 345–58
  achiral analytes investigated by 352
  analytical applications 349–57
  as independent detector 350
  chiral analytes investigated by 351
  methodology 347–9
  organic extracts investigated by 354–7
Collisional excitation and de-excitation 60
Collisional ionization 61
Collisional processes 60
Continuum source 497
Continuum source excited atomic fluorescence spectrometry 417–21
  background correction for 444–54
Conventional source excited atomic fluorescence spectrometry 359–506
  applications 455–79
  expression for fluorescence intensity 376–91
  further developments 483
  light sources 392–410
  methods of background correction 423–54, 483
  shape of atomic lines 369–76
  summary of light sources 421
  summary of previous reviews 364–5
  theory 366–91
  types of atomic fluorescence transitions 367–9
Corona balance 67
Cortisone 566
Cyanide ion adsorption 31–2
Cyclohexane 567

Dianions 13–15
Dibenzanthracene 567
2,4-Dichlorotoluene 537
2,5-Dichlorotoluene 537
2,6-Dichlorotoluene 537
3,4-Dichlorotoluene 537
Diffuse double layer 11–12
Diffusion coefficient 242
Difluorobenzene adsorption 25
Dihydroxybenzenes 542
2,7-Dihydroxynaphthalene 520, 521
7,10-Dimethylbenzo[a]pyrene 518
Dissociation products distribution 64
Doppler broadening 71

Electrical double layer 11–12
Electrocatalytic oxidation/reduction reactions 36–43
Electrochemical cell design 2
Electrochemically modulated infrared spectroscopy (EMIRS) 2, 7–8
Electrode surface, infrared spectroscopy 1–56
Electron density
  measurement 72–3
  temperature calculation from 80–2
Electron energy loss spectroscopy (EELS) 1
Electron number density distribution 70–4
Ethylene 513
Excitation saturation balance 67
Excited-state level populations 87–95

Far-infrared measurements 45
FEI level populations 92–3
FEII level populations 92–3
Ferrocyanide/ferricyanide system 40–3
Flame atomic fluorescence spectrometry 483
Flow injection analysis (FIA) 573
Flow injection analysis (FIA) 573
Fluoranthane 567
Fluoroaniline 544
Fluorescence, and phosphorescence 573–4
Fluorescence line narrowing 520–1
Frequency factor 239–42

Gas chromatography 522–5
Graphite furnace atomic absorption

spectrometry 111–333
atomic absorption signals 213–59
chloride matrix interferences 250–7
direct determination of metal content associated with airborne particulates 288–90
experimental and computed absorbance vs time curve for silver 225–35
molybdenum atomization mechanisms 294–313
time-dependent atom distributions 213–59
see also graphite platform furnace; graphite probe furnace; graphite tube furnace
Graphite furnace atomic fluorescence spectrometry 482
Graphite platform furnace
boundary conditions at furnace ends 136
comparison with graphite probe furnace 279–88
cooling cycle 147–9
effects of final tube wall temperatures on temperature and velocity distribution of gas phase 208
effects of initial tube wall temperature on temperature and velocity distribution of gas phase 202–8
effects of mass and geometric dimensions of platform 163
effects of tube wall heating parameters 244–50
effects of tube wall heating parameters on platform temperatures 164–8
effects of tube wall heating rates on temperature and velocity distribution of gas phase 197–202
formation of silver atoms in and their removal from 235–9
heating mechanism 260
optimization of tube wall heating parameters and platform thickness 168
relative atom population vs time curves of analyte atoms 239–50
thermal network resistance diagram 156
time-dependent temperature distribution of furnace tube wall 140
time-dependent temperature distribution of furnace wall 122–49
time-dependent temperature distribution of gas phase 170–211
time-dependent temperature distribution of tube wall 143
time-dependent temperature of graphite platform 150–68
tube wall temperature distribution 136
see also graphite furnace atomic absorption spectrometry
Graphite platforms 268
Graphite probe
configurations of 266–8
filter device 269
insertion device 266–8
time-dependent surface temperature of 261–5
time-dependent temperature distribution characteristics 271–4
types of 260
Graphite probe furnace 260–93
comparison with graphite platform furnace 279–88
effective gas temperature measurement 268
heating mechanism 260
optimization of working conditions 276–9
probe temperature measurement 268
temperature distribution of gas phase inside 274–6
tube wall temperature measurement 268
Graphite probe head, comparison of measured and computed temperature 271
Graphite tube furnace
boundary conditions at furnace ends 136
cooling cycle 147–9
effects of final tube wall temperatures on temperature and velocity distribution of gas phase 208
effects of furnace geometry on temperature distribution of gas phase 210
effects of heating parameters of tube wall at furnace centre 145–7
effects of initial tube wall temperature on temperature and velocity distribution of gas phase 202–8
effects of thermal properties of purge gas on temperature distribution of gas phase 208
effects of tube wall heating rates on temperature and velocity distribution of gas phase 197–202
temperature distributions of tube wall of contoured tube 143–5
time-dependent temperature distribution of furnace tube wall 140
time-dependent temperature distribution of furnace wall 122–49
time-dependent temperature distribution of gas phase 170–211
time-dependent temperature distributions of tube wall 143
tube wall temperature distribution 136
Graphite tubes 268
Guldberg–Waage distribution 64

Heptane 517
High performance liquid chromatography (HPLC) 573, 590–6
Hollow cathode lamp excited atomic fluorescence spectrometry (HCL-AFS) 392–410
Hydrogen adsorption 36–7
Hydroquinone 543, 544

Inductively coupled plasma (ICP) 57–109
analyte ionization 83–7
applications 101–6
electron number density distribution 70–4
excited-state level populations 87–95
ion–atom emission intensity ratios 80–3
local thermal equilibrium 80–3
mechanisms responsible for deviations from LTE populations 97–101
overview 96–7
plasma physics 60–8

spatially resolved measurements 68–9
temperature measurement 77–80
Infrared reflection absorption spectrosocopy (IRRAS) 2, 10–11
Infrared spectroelectrochemistry 1–56
applications 11–45
methodology 2–11
theoretical methods 45–52
Infrared spectroscopy, electrode surface 1–56
Ion adsorption 31–4
Ion–atom emission intensity ratios 80–3
Ion radicals 13–15
Ionization degree 84–7

L-Phenylalanyl-L-tyrosine 549
Lamp-excited fluorescence spectra 521
Laser-induced fluorescence spectra 517, 518, 520, 521
Laser-induced Shpol'skii fluorometry 519
Line broadening in plasmas 70
Line profiles 71
Line source 498
Line source excited atomic fluorescence spectrometry 423–44
Liquid chromatography 525
Liquid state molecular phosphorescence *see* phosphorescence
Local thermal equilibrium 64, 80–3
deviations from 65, 82–3
experiment vs 95
ion–atom emission intensity ratio 82
Low-energy electron diffraction (LEED) 1

Matrix isolation fluorescence spectrometry 517–25
Matrix isolation FTIR spectrometry 515–16, 522–5
Matrix isolation IR spectrometry 515–16
Matrix isolation molecular spectrometry 507–27
apparatus 509–12
matrix isolation 508–9
procedures 509–12
Matrix isolation vibrational spectroscopy 513–16
Maxwell distribution 63
Methylchrysenes 516
Molecular adsorption 22–30
Molybdenum
atomization curve of 297
atomization mechanisms 308–12
charring characteristics 297
see also under graphite furnace atomic absorption spectrometry
Multidimensional fluorescence spectrometry 561–71
data reduction 566–9
instrumentation 561–5
Multiphoton ionization mass spectrometry 529–59
applications 541–52
instrumentation 538–41
multiphoton ionization technique 530–2
supersonic jet introduction 533–7

Naphthalene 514, 520
Natural line broadening 70
N-Nitrosodimethylamine 524
Non-dispersive atomic fluorescence spectrometry 483

Octane 517
Optical pyrometers 135, 136
Optical rotatory dispersion (ORD) 345
methodology 346
Optical site selection 520
Oxidation of species forming adsorbed CO 37–9

Partial local thermal equilibrium (p-LTE) 64–5
Particle velocity 63
Penning ionization and excitation 62
Perfluoro-*n*-hexane 521
Perkin–Elmer heated graphite atomizer (HGA) model 400 133
Perkin–Elmer heated graphite atomizer (HGA) model 2100 266
Perkin–Elmer spectrometer model 503 266
Perylene 567
Phosphorescence
and fluorescence 573–4
detection in HPLC 590–6
experimental aspects 587–90
in fluid solutions 587
in homogeneous fluid solutions 575–7
in micellar solutions 578–83
of fluid samples 573
quenched 586, 590, 595
sensitized 584–6, 591, 593
solution-quenched 574
Phosphorimetry 574, 577
Photoacoustic FTIR spectrometry 522
Photoacoustic spectrometry 522
Photoelectron spectroscopy (PES) 1
Planck's law 64
Plasma excited atomic fluorescence spectrometry 411–16
Plasma excited atomic fluorescence spectroscopy 482
Plasma physics 60–8
Polarimetry 345, 349–50
methodology 346
Polychlorinated biphenyls (PCBs) 592
Polychlorinated naphthalenes (PCNs) 592
Polycyclic aromatic hydrocarbons (PAHs) 509, 515, 518
Population distribution
of bound states 63
of ionization products 63
Potential energy function 50
Pressure broadening 71

Quantitative matrix isolation spectroscopy 512–13

Radiation distribution 64
Radiative decay 61
Radiative processes 60
Radiative recombination 61
Resorcinol 543

Saha–Eggert distribution 63
Scanning electron micrography, molybdenum reaction products 302–8
Secondary ion mass spectroscopy (SIMS) 1
Self-absorption factor 501–2
Silver
see under graphite platform furnace
Spatial electron density profiles 73–6
Spatially resolved measurements 68–9
Spectral acquisition 4–5
Stable lead isotopes 335–43
Stark parameters 72
Subtractively normalized interfacial Fourier transform infrared spectroscopy (SNIFTIRS) 2, 8–10
Surface enhanced Raman spectroscopy (SERS) 2
Surface selection rules 5–7

Temperature calculation from electron density 80–2
Temperature measurement 77–80
Tetracyanoethylene radical anion and dianion 15–21
Thermal-desorption mass spectroscopy (TDMS) 1
Thermal equilibrium, departures from 64–7
Thermodynamic equilibrium 62–4
Thiocyanate ion adsorption 33–4
Three-body recombination 61
Time-resolved studies 43–5
Toluidine 544
Total absorbance factor 497
Transition energy selection 520

Ultra high vacuum (UHV) spectroscopic techniques 1

X-ray diffraction analysis, molybdenum species 300–2

Zeeman atomic absorption spectrometry (ZAAS) 335–43